

Healthy CDDs

Strategies for building a Custom Debian Distribution

Andreas Tille

Debian Conference 8

Mar del Plata, August 12, 2008

Structure

1 History

2 Development

- Measures for development
- Growth of Metapackages
- Activity of members

3 Comparison of CDDs

- Graphing activity
- Conclusion

Structure

1 History

2 Development

- Measures for development
- Growth of Metapackages
- Activity of members

3 Comparison of CDDs

- Graphing activity
- Conclusion

Structure

1 History

2 Development

- Measures for development
- Growth of Metapackages
- Activity of members

3 Comparison of CDDs

- Graphing activity
- Conclusion

Libre Software Meeting (DebConf 1) - Bordeaux 2001



There is a laptop open



Who are the others?

- Debian Junior (2000)
- Debian Med (2002)
- Debian Edu (SkoleLinux) (2002)

→ DebConf 3 Oslo “Custom Debian Distributions”

- Debian Accessibility (2003)
- Debian Desktop (2003)
- Debian Lex (2003)
- Debian Nonprofit (2003)
- Debian GIS (2004)
- DebiChem (2004)
- Debian Enterprise (2007)

Who are the others?

- Debian Junior (2000)
- Debian Med (2002)
- Debian Edu (SkoleLinux) (2002)

→ DebConf 3 Oslo “Custom Debian Distributions”

- Debian Accessibility (2003)
- Debian Desktop (2003)
- Debian Lex (2003)
- Debian Nonprofit (2003)
- Debian GIS (2004)
- DebiChem (2004)
- Debian Enterprise (2007)

Who are the others?

- Debian Junior (2000)
- Debian Med (2002)
- Debian Edu (SkoleLinux) (2002)

→ DebConf 3 Oslo “Custom Debian Distributions”

- Debian Accessibility (2003)
- Debian Desktop (2003)
- Debian Lex (2003)
- Debian Nonprofit (2003)
- Debian GIS (2004)
- DebiChem (2004)
- Debian Enterprise (2007)

Who are the others?

- Debian Junior (2000)
- Debian Med (2002)
- Debian Edu (SkoleLinux) (2002)

→ DebConf 3 Oslo “Custom Debian Distributions”

- Debian Accessibility (2003)
- Debian Desktop (2003)
- Debian Lex (2003)
- Debian Nonprofit (2003)
- Debian GIS (2004)
- DebiChem (2004)
- Debian Enterprise (2007)

Who are the others?

- Debian Junior (2000)
- Debian Med (2002)
- Debian Edu (SkoleLinux) (2002)

→ DebConf 3 Oslo “Custom Debian Distributions”

- Debian Accessibility (2003)
- Debian Desktop (2003)
- Debian Lex (2003)
- Debian Nonprofit (2003)
- Debian GIS (2004)
- DebiChem (2004)
- Debian Enterprise (2007)

Who are the others?

- Debian Junior (2000)
- Debian Med (2002)
- Debian Edu (SkoleLinux) (2002)

→ DebConf 3 Oslo “Custom Debian Distributions”

- Debian Accessibility (2003)
- Debian Desktop (2003)
- Debian Lex (2003)
- Debian Nonprofit (2003)
- Debian GIS (2004)
- DebiChem (2004)
- Debian Enterprise (2007)

Who are the others?

- Debian Junior (2000)
- Debian Med (2002)
- Debian Edu (SkoleLinux) (2002)

→ DebConf 3 Oslo “Custom Debian Distributions”

- Debian Accessibility (2003)
- Debian Desktop (2003)
- Debian Lex (2003)
- Debian Nonprofit (2003)
- Debian GIS (2004)
- DebiChem (2004)
- Debian Enterprise (2007)

Who are the others?

- Debian Junior (2000)
- Debian Med (2002)
- Debian Edu (SkoleLinux) (2002)

→ DebConf 3 Oslo “Custom Debian Distributions”

- Debian Accessibility (2003)
- Debian Desktop (2003)
- Debian Lex (2003)
- Debian Nonprofit (2003)
- Debian GIS (2004)
- DebiChem (2004)
- Debian Enterprise (2007)

Who are the others?

- Debian Junior (2000)
- Debian Med (2002)
- Debian Edu (SkoleLinux) (2002)

→ DebConf 3 Oslo “Custom Debian Distributions”

- Debian Accessibility (2003)
- Debian Desktop (2003)
- Debian Lex (2003)
- Debian Nonprofit (2003)
- Debian GIS (2004)
- DebiChem (2004)
- Debian Enterprise (2007)

Who are the others?

- Debian Junior (2000)
- Debian Med (2002)
- Debian Edu (SkoleLinux) (2002)

→ DebConf 3 Oslo “Custom Debian Distributions”

- Debian Accessibility (2003)
- Debian Desktop (2003)
- Debian Lex (2003)
- Debian Nonprofit (2003)
- Debian GIS (2004)
- DebiChem (2004)
- Debian Enterprise (2007)

Who are the others?

- Debian Junior (2000)
- Debian Med (2002)
- Debian Edu (SkoleLinux) (2002)

→ DebConf 3 Oslo “Custom Debian Distributions”

- Debian Accessibility (2003)
- Debian Desktop (2003)
- Debian Lex (2003)
- Debian Nonprofit (2003)
- Debian GIS (2004)
- DebiChem (2004)
- Debian Enterprise (2007)

1 History

2 Development

- **Measures for development**
- Growth of Metapackages
- Activity of members

3 Comparison of CDDs

- Graphing activity
- Conclusion

Considering some numbers ...

- Number of users?
 - Popularity contest?
 - Specific software has usually low popcon numbers
 - Usage of metapackages might give some hints but popcon works bad for these - the “content” is not actually used
- Number of developers
 - Number of Vcs commits → not every CDD uses common Vcs
 - Number of mailing list subscribers → people tend to stay subscribed

Considering some numbers ...

- Number of users?
 - Popularity contest?
 - Specific software has usually low popcon numbers
 - Usage of metapackages might give some hints but popcon works bad for these - the “content” is not actually used
 - Number of developers
 - Number of Vcs commits → not every CDD uses common Vcs
 - Number of mailing list subscribers → people tend to stay subscribed

Considering some numbers ...

- Number of users?
 - Popularity contest?
 - Specific software has usually low popcon numbers
 - Usage of metapackages might give some hints but popcon works bad for these - the “content” is not actually used
- Number of developers
 - Number of Vcs commits → not every CDD uses common Vcs
 - Number of mailing list subscribers → people tend to stay subscribed

Considering some numbers ...

- Number of users?
 - Popularity contest?
 - Specific software has usually low popcon numbers
 - Usage of metapackages might give some hints but popcon works bad for these - the “content” is not actually used
- Number of developers
 - Number of Vcs commits → not every CDD uses common Vcs
 - Number of mailing list subscribers → people tend to stay subscribed

Considering some numbers ...

- Number of users?
 - Popularity contest?
 - Specific software has usually low popcon numbers
 - Usage of metapackages might give some hints but popcon works bad for these - the “content” is not actually used
- Number of developers
 - Number of Vcs commits → not every CDD uses common Vcs
 - Number of mailing list subscribers → people tend to stay subscribed


Considering some numbers ...

- Number of users?
 - Popularity contest?
 - Specific software has usually low popcon numbers
 - Usage of metapackages might give some hints but popcon works bad for these - the “content” is not actually used
- Number of developers
 - Number of Vcs commits → not every CDD uses common Vcs
 - Number of mailing list subscribers → people tend to stay subscribed


Considering some numbers ...

- Number of users?
 - Popularity contest?
 - Specific software has usually low popcon numbers
 - Usage of metapackages might give some hints but popcon works bad for these - the “content” is not actually used
- Number of developers
 - Number of Vcs commits → not every CDD uses common Vcs
 - Number of mailing list subscribers → people tend to stay subscribed


Debian Med




Debian Edu



Debian Junior



Debian Lex



Signal, noise, artefacts

- Not only SPAM is noise
- (Un)subscribe
- Debian Junior list peak in October 2003:
 - Replacement for Abiword: LyX? Openoffice? → 43 postings
 - Philosophy (was Re: Replacement for Abiword: LyX? Openoffice?) → 33 postings
 - Future replacement for Abiword: Tux Writer? → 3 postings
 - 79 postings about specific topic out of 89 non-SPAM
- Intended and unintended robots
 - December 2005: 92 messages by `gentoo-\w+\+help@gentoo.org` about subscription status to [*debian-desktop@lists.debian.org*](mailto:debian-desktop@lists.debian.org)
 - Messages by Debian Installer, bugzilla-skolelinux, Archive Administrator,...

Signal, noise, artefacts

- Not only SPAM is noise
- (Un)subscribe
- Debian Junior list peak in October 2003:
 - Replacement for Abiword: LyX? Openoffice? → 43 postings
 - Philosophy (was Re: Replacement for Abiword: LyX? Openoffice?) → 33 postings
 - Future replacement for Abiword: Tux Writer? → 3 postings
 - 79 postings about specific topic out of 89 non-SPAM
- Intended and unintended robots
 - December 2005: 92 messages by `gentoo-\w+\+help@gentoo.org` about subscription status to [*debian-desktop@lists.debian.org*](mailto:debian-desktop@lists.debian.org)
 - Messages by Debian Installer, bugzilla-skolelinux, Archive Administrator,...

Signal, noise, artefacts

- Not only SPAM is noise
- (Un)subscribe
- Debian Junior list peak in October 2003:
 - Replacement for Abiword: LyX? Openoffice? → 43 postings
 - Philosophy (was Re: Replacement for Abiword: LyX? Openoffice?) → 33 postings
 - Future replacement for Abiword: Tux Writer? → 3 postings
 - 79 postings about specific topic out of 89 non-SPAM
- Intended and unintended robots
 - December 2005: 92 messages by `gentoo-\w+\+help@gentoo.org` about subscription status to [*debian-desktop@lists.debian.org*](mailto:debian-desktop@lists.debian.org)
 - Messages by Debian Installer, bugzilla-skolelinux, Archive Administrator,...

Signal, noise, artefacts

- Not only SPAM is noise
- (Un)subscribe
- Debian Junior list peak in October 2003:
 - Replacement for Abiword: LyX? Openoffice? → 43 postings
 - Philosophy (was Re: Replacement for Abiword: LyX? Openoffice?) → 33 postings
 - Future replacement for Abiword: Tux Writer? → 3 postings
 - 79 postings about specific topic out of 89 non-SPAM
- Intended and unintended robots
 - December 2005: 92 messages by `gentoo-\w+\+help@gentoo.org` about subscription status to [*debian-desktop@lists.debian.org*](mailto:debian-desktop@lists.debian.org)
 - Messages by Debian Installer, bugzilla-skolelinux, Archive Administrator,...

Signal, noise, artefacts

- Not only SPAM is noise
- (Un)subscribe
- Debian Junior list peak in October 2003:
 - Replacement for Abiword: LyX? Openoffice? → 43 postings
 - Philosophy (was Re: Replacement for Abiword: LyX? Openoffice?) → 33 postings
 - Future replacement for Abiword: Tux Writer? → 3 postings
 - 79 postings about specific topic out of 89 non-SPAM
- Intended and unintended robots
 - December 2005: 92 messages by `gentoo-\w+\+help@gentoo.org` about subscription status to [*debian-desktop@lists.debian.org*](mailto:debian-desktop@lists.debian.org)
 - Messages by Debian Installer, bugzilla-skolelinux, Archive Administrator,...

Signal, noise, artefacts

- Not only SPAM is noise
- (Un)subscribe
- Debian Junior list peak in October 2003:
 - Replacement for Abiword: LyX? Openoffice? → 43 postings
 - Philosophy (was Re: Replacement for Abiword: LyX? Openoffice?) → 33 postings
 - Future replacement for Abiword: Tux Writer? → 3 postings
 - 79 postings about specific topic out of 89 non-SPAM
- Intended and unintended robots
 - December 2005: 92 messages by `gentoo-\w+\+help@gentoo.org` about subscription status to [*debian-desktop@lists.debian.org*](mailto:debian-desktop@lists.debian.org)
 - Messages by Debian Installer, bugzilla-skolelinux, Archive Administrator,...

Signal, noise, artefacts

- Not only SPAM is noise
- (Un)subscribe
- Debian Junior list peak in October 2003:
 - Replacement for Abiword: LyX? Openoffice? → 43 postings
 - Philosophy (was Re: Replacement for Abiword: LyX? Openoffice?) → 33 postings
 - Future replacement for Abiword: Tux Writer? → 3 postings
 - 79 postings about specific topic out of 89 non-SPAM
- Intended and unintended robots
 - December 2005: 92 messages by `gentoo-\w+\+help@gentoo.org` about subscription status to [*debian-desktop@lists.debian.org*](mailto:debian-desktop@lists.debian.org)
 - Messages by Debian Installer, bugzilla-skolelinux, Archive Administrator,...

Signal, noise, artefacts

- Not only SPAM is noise
- (Un)subscribe
- Debian Junior list peak in October 2003:
 - Replacement for Abiword: LyX? Openoffice? → 43 postings
 - Philosophy (was Re: Replacement for Abiword: LyX? Openoffice?) → 33 postings
 - Future replacement for Abiword: Tux Writer? → 3 postings
 - 79 postings about specific topic out of 89 non-SPAM
- Intended and unintended robots
 - December 2005: 92 messages by `gentoo-\w+\+help@gentoo.org` about subscription status to [*debian-desktop@lists.debian.org*](mailto:debian-desktop@lists.debian.org)
 - Messages by Debian Installer, bugzilla-skolelinux, Archive Administrator,...

Signal, noise, artefacts

- Not only SPAM is noise
- (Un)subscribe
- Debian Junior list peak in October 2003:
 - Replacement for Abiword: LyX? Openoffice? → 43 postings
 - Philosophy (was Re: Replacement for Abiword: LyX? Openoffice?) → 33 postings
 - Future replacement for Abiword: Tux Writer? → 3 postings
 - 79 postings about specific topic out of 89 non-SPAM
- Intended and unintended robots
 - December 2005: 92 messages by `gentoo-\w+\+help@gentoo.org` about subscription status to debian-desktop@lists.debian.org
 - Messages by Debian Installer, bugzilla-skolelinux, Archive Administrator,...

Signal, noise, artefacts

- Not only SPAM is noise
- (Un)subscribe
- Debian Junior list peak in October 2003:
 - Replacement for Abiword: LyX? Openoffice? → 43 postings
 - Philosophy (was Re: Replacement for Abiword: LyX? Openoffice?) → 33 postings
 - Future replacement for Abiword: Tux Writer? → 3 postings
 - 79 postings about specific topic out of 89 non-SPAM
- Intended and unintended robots
 - December 2005: 92 messages by `gentoo-\w+\+help@gentoo.org` about subscription status to [*debian-desktop@lists.debian.org*](mailto:debian-desktop@lists.debian.org)
 - Messages by Debian Installer, bugzilla-skolelinux, Archive Administrator,...

1 History

2 Development

- Measures for development
- **Growth of Metapackages**
- Activity of members

3 Comparison of CDDs

- Graphing activity
- Conclusion

Dependency of metapackages

- Technical output - number of metapackages and their dependencies
- Probably good measure
- Hard to obtain because not everything is in Vcs
- Querying snapshot.debian.net possible but really time consuming

Dependency of metapackages

- Technical output - number of metapackages and their dependencies
- Probably good measure
- Hard to obtain because not everything is in Vcs
- Querying snapshot.debian.net possible but really time consuming

Dependency of metapackages


- Technical output - number of metapackages and their dependencies
- Probably good measure
- Hard to obtain because not everything is in Vcs
- Querying snapshot.debian.net possible but really time consuming

Dependency of metapackages

- Technical output - number of metapackages and their dependencies
- Probably good measure
- Hard to obtain because not everything is in Vcs
- Querying snapshot.debian.net possible but really time consuming

Selected metapackages of Debian Med

Number of dependencies of selected Debian Med metapackages



1 History


2 Development

- Measures for development
- Growth of Metapackages
- **Activity of members**

3 Comparison of CDDs

- Graphing activity
- Conclusion

Number of subscribers?



Activity of communication measure

- **Intensity and quality of communication**
- Every CDD has a mailing list
- Who are the active posters (except robots)
- Influence of SPAM, noise, flames, etc. is reduced
- Mind the run-over-by-bus factor

Activity of communication measure

- Intensity and quality of communication
- Every CDD has a mailing list
- Who are the active posters (except robots)
- Influence of SPAM, noise, flames, etc. is reduced
- Mind the run-over-by-bus factor

Activity of communication measure

- Intensity and quality of communication
- Every CDD has a mailing list
- Who are the active posters (except robots)
- Influence of SPAM, noise, flames, etc. is reduced
- Mind the run-over-by-bus factor

Activity of communication measure

- Intensity and quality of communication
- Every CDD has a mailing list
- Who are the active posters (except robots)
- Influence of SPAM, noise, flames, etc. is reduced
- Mind the run-over-by-bus factor

Activity of communication measure

- Intensity and quality of communication
- Every CDD has a mailing list
- Who are the active posters (except robots)
- Influence of SPAM, noise, flames, etc. is reduced
- Mind the run-over-by-bus factor

1 History


2 Development

- Measures for development
- Growth of Metapackages
- Activity of members

3 Comparison of CDDs

- **Graphing activity**
- Conclusion

Top 10 posters on debian-med@lists.debian.org




Andreas Tille (*Debian Conference 8*)


Healthy CDDs

Mar del Plata, August 12, 2008

Top 10 posters on debian-edu@lists.debian.org



Top 10 posters on debian-jr@lists.debian.org




Andreas Tille (*Debian Conference 8*)


Healthy CDDs

Mar del Plata, August 12, 2008


Top 10 posters on *debian-accessibility@lists.d.o*



Top 10 posters on debian-desktop@lists.debian.org



Top 10 posters on debian-lex@lists.debian.org



- **Successfull SPAM protection: in 2008 this list gathered only SPAM**
- Peak in November 2007:

Debian-Lex Rebirth?	23
Debian-Lex Rebirth? - python/perl/php?	25
Debian-Lex Rebirth? - wiki	8
Rebirth	1
Rebirth of Debian-lex	2
- Good example for “vanished leader”


- Successfull SPAM protection: in 2008 this list gathered only SPAM
- Peak in November 2007:

Debian-Lex Rebirth?	23
Debian-Lex Rebirth? - python/perl/php?	25
Debian-Lex Rebirth? - wiki	8
Rebirth	1
Rebirth of Debian-lex	2
- Good example for “vanished leader”


- Successfull SPAM protection: in 2008 this list gathered only SPAM
- Peak in November 2007:

Debian-Lex Rebirth?	23
Debian-Lex Rebirth? - python/perl/php?	25
Debian-Lex Rebirth? - wiki	8
Rebirth	1
Rebirth of Debian-lex	2
- Good example for “vanished leader”


Top 10 posters on debian-nonprofit@lists.debian.org



Top 10 posters on debian-enterprise@lists.debian.org



Top 10 posters on debian-custom@lists.debian.org



Andreas Tille (*Debian Conference 8*)

Healthy CDDs

Mar del Plata, August 12, 2008

1 History

2 Development

- Measures for development
- Growth of Metapackages
- Activity of members

3 Comparison of CDDs

- Graphing activity
- **Conclusion**

Most CDDs depend from single person

- Debian Edu has a really healthy crew
- Debian Med has at least run-over-by-bus factor two
- Others seem to depend from single person
- Need of better management

Most CDDs depend from single person

- Debian Edu has a really healthy crew
- Debian Med has at least run-over-by-bus factor two
- Others seem to depend from single person
- Need of better management


Most CDDs depend from single person

- Debian Edu has a really healthy crew
- Debian Med has at least run-over-by-bus factor two
- Others seem to depend from single person
- Need of better management

Most CDDs depend from single person

- Debian Edu has a really healthy crew
- Debian Med has at least run-over-by-bus factor two
- Others seem to depend from single person
- Need of better management

This talk is available at



<http://people.debian.org/~tille/talks/>

Andreas Tille <tille@debian.org>