

Mentoring in the Debian Med team

Andreas Tille

Debian

LSM, Montpellier, 8. July 2014

1 Mentoring of the Month

2 Sponsoring of Blends

3 Sprints

Example for user contact

On Wed, Jan 18, 2012, Luis Ibanez wrote:

Subject: Looking for a Debian packager for
FIS-GT.M: Change the History of Healthcare!!

Dear Debian packagers:

We are looking for one of you to help
us change the history of Healthcare

We are working at OSEHRA (<http://www.osehra.org/>) on
building an Open Source environment for VistA, the
Electronic Health Records system of the US Department
of Veterans Affairs.

VistA is the best proven EHR, and it has been used for
the last 30 years at the VA. It currently runs about
170 VA hospitals and about 1,000 ambulatory facilities.

...

Answer to user request: MoM

On Wed, Thu, 19 Jan 2012, Andreas Tille wrote:

Subject: Happy birthday Debian Med and announcement of MOM

...To ensure that this development of a strong team will continue I would like to propose a new effort I would like to call

"Mentoring Of the Month" (MOM)

In this program I would like to dedicate a part of my spare time to a newcomer (the "student") providing any packaging knowledge I have to enable him working more or less independently on packaging after passing this MOM period. I like to guide the student kindly into all secrets of Debian packaging at the example of a specific program which is in the focus of the Debian Med team. The student is free to pick the package however, ...

Debian Med has attracted one developer per year

According to a questionnaire in Wiki

- Debian Med has 28 DDs+DMs
- 11 DDs *because* Debian Med exists;
4 DDs before Debian Med started
- 7 out of the 11 above extended their activity to other fields in Debian
- 9 out of the 11 above remained active in Debian Med

Debian Med has attracted one developer per year

According to a questionnaire in Wiki

- Debian Med has 28 DDs+DMs
- 11 DDs *because* Debian Med exists;
4 DDs before Debian Med started
- 7 out of the 11 above extended their activity to other fields in Debian
- 9 out of the 11 above remained active in Debian Med

Debian Med has attracted one developer per year

According to a questionnaire in Wiki

- Debian Med has 28 DDs+DMs
- 11 DDs *because* Debian Med exists;
4 DDs before Debian Med started
- 7 out of the 11 above extended their activity to other fields in Debian
- 9 out of the 11 above remained active in Debian Med

Debian Med has attracted one developer per year

According to a *questionnaire* in Wiki

- Debian Med has 28 DDs+DMs
- 11 DDs *because* Debian Med exists;
4 DDs before Debian Med started
- 7 out of the 11 above extended their activity to other fields in Debian
- 9 out of the 11 above remained active in Debian Med

Mentoring of the Month (MoM)

- mentor dedicates a part of his spare time to a newcomer
- guide the student kindly into all secrets of Debian packaging
- learning per *relevant* example
- student is free to pick the package (mentor has a vetoing right)

Mentoring of the Month (MoM)

- mentor dedicates a part of his spare time to a newcomer
- guide the student kindly into all secrets of Debian packaging
- learning per *relevant* example
- student is free to pick the package (mentor has a vetoing right)

Mentoring of the Month (MoM)

- mentor dedicates a part of his spare time to a newcomer
- guide the student kindly into all secrets of Debian packaging
- learning per *relevant* example
- student is free to pick the package (mentor has a vetoing right)

Mentoring of the Month (MoM)

- mentor dedicates a part of his spare time to a newcomer
- guide the student kindly into all secrets of Debian packaging
- learning per *relevant* example
- student is free to pick the package (mentor has a vetoing right)

MoM Goals

- The package in question is finished and uploaded.
- The student is able to do advanced packaging tasks and is introduced into the communication channels of Debian Med team.

MoM Goals

- The package in question is finished and uploaded.
- The student is able to do advanced packaging tasks and is introduced into the communication channels of Debian Med team.

Communication

- teach open communication on mailing list
- do not bother other readers to much and use [MOM] tag in subject

Communication

- teach open communication on mailing list
- do not bother other readers to much and use [MOM] tag in subject

Rules (1/5): Responsiveness

If the mentor is posting something on the mailing list containing [MOM] in the subject, the student tries hard to respond with a comment (if not better possible), something like: I have no idea but I will do some research like asking upstream or whatever - just leaving a hint that he feels responsible somehow.

Rules (2/5): Confirm understanding

- The student tries to follow any of the commits of the mentor to the package which is in focus of the MoM plan, and favourably sends a comment like
 - Its OK for me
 - What does this mean, please explain
 - I would prefer ... instead of your change
- follow changes (subscribe commits) or do frequently
 - `SVN up | git pull; {SVN|git} log`
- student should try to find a useful comment to confirm understanding

Rules (2/5): Confirm understanding

- The student tries to follow any of the commits of the mentor to the package which is in focus of the MoM plan, and favourably sends a comment like
Its OK for me
What does this mean, please explain
I would prefer ... instead of your change
- follow changes (subscribe commits) or do frequently
`SVN up | git pull; {SVN|git} log`
- student should try to find a useful comment to confirm understanding

Rules (2/5): Confirm understanding

- The student tries to follow any of the commits of the mentor to the package which is in focus of the MoM plan, and favourably sends a comment like
Its OK for me
What does this mean, please explain
I would prefer ... instead of your change
- follow changes (subscribe commits) or do frequently
`SVN up | git pull; {SVN|git} log`
- student should try to find a useful comment to confirm understanding

Rules (3/5): Confirm ability to build

The student confirms that he succeeded in building the package according to the state in VCS in case it builds, or that he is able to reproduce the error message of the build process.

Rules (4/5): Communication

- In case of problems the student will ask on Debian Med mailing list ([MOM] : Subject)
- show others:
 - we are working on a problem
 - sort things out via open discussion
 - how also others could learn things about packaging
- alternative: #debian-med IRC channel.

Rules (4/5): Communication

- In case of problems the student will ask on Debian Med mailing list ([MOM] : Subject)
- show others:
 - we are working on a problem
 - sort things out via open discussion
 - how also others could learn things about packaging
- alternative: #debian-med IRC channel.

Rules (4/5): Communication

- In case of problems the student will ask on Debian Med mailing list ([MOM] : Subject)
- show others:
 - we are working on a problem
 - sort things out via open discussion
 - how also others could learn things about packaging
- alternative: #debian-med IRC channel.

Rules (4/5): Communication

- In case of problems the student will ask on Debian Med mailing list ([MOM] : Subject)
- show others:
 - we are working on a problem
 - sort things out via open discussion
 - how also others could learn things about packaging
- alternative: #debian-med IRC channel.

Rules (4/5): Communication

- In case of problems the student will ask on Debian Med mailing list ([MOM] : Subject)
- show others:
 - we are working on a problem
 - sort things out via open discussion
 - how also others could learn things about packaging
- alternative: #debian-med IRC channel.

Rules (4/5): Communication

- In case of problems the student will ask on Debian Med mailing list ([MOM] : Subject)
- show others:
 - we are working on a problem
 - sort things out via open discussion
 - how also others could learn things about packaging
- alternative: #debian-med IRC channel.

Rules (5/5): Report

The student posts a status report about the packaging every day, reporting about done changes, issues raised, discussions with upstream etc.

Summary of MoM formalism

- **MoM is *work***
- hopefully it shows that this work is also *fun*
- mentor trades his spare time for the work of the student
- attempt to train "silent observers on the list"
- focus not only on technical details but also on learning to know relevant communication channels

Summary of MoM formalism

- MoM is *work*
- hopefully it shows that this work is also *fun*
- mentor trades his spare time for the work of the student
- attempt to train "silent observers on the list"
- focus not only on technical details but also on learning to know relevant communication channels

Summary of MoM formalism

- MoM is *work*
- hopefully it shows that this work is also *fun*
- mentor trades his spare time for the work of the student
- attempt to train "silent observers on the list"
- focus not only on technical details but also on learning to know relevant communication channels

Summary of MoM formalism

- MoM is *work*
- hopefully it shows that this work is also *fun*
- mentor trades his spare time for the work of the student
- attempt to train "silent observers on the list"
- focus not only on technical details but also on learning to know relevant communication channels

Summary of MoM formalism

- MoM is *work*
- hopefully it shows that this work is also *fun*
- mentor trades his spare time for the work of the student
- attempt to train "silent observers on the list"
- focus not only on technical details but also on learning to know relevant communication channels

Question to myself about MoM for women

After learning that GSoC has 0% woman applicants (out of 181) but Google Outreach Program for Woman had 100 applicants I'm wondering:
Should I explicitly dedicate every second month for women only?

Results

Month	Student	Package	Uploaded?
02.2012	Luis Ibanez	fis-gtm	yes
03.2012	Scott Christley	libswarm	no
06.2012	Eric Maeker	libquazip	yes
11.2012	Tomás Di Domenico	python-csb	yes
02.2013	Sukhbir Singh	hunspell-en-med	yes
12.2013	Lennart C. Karssen	probabel	yes
01.2014	Jorge Sebastião Soares	snp-sites	yes
03.2014	Stephen Smith	phyutility	yes
06.2014	Ian Wallace	openemr	—

Some people put their names in the waiting queue but did not answered a ping.

MoM Conclusions

- Time spent into mentoring is worth the effort
- No student for each month so the workload is bearable
- Students have just read recent documents which I did 15 years ago → I can learn new stuff from them
- Major advantage: training upstream to pool their knowledge about the code with ours about packaging is **very efficient** for the hard packages
- About 50% of students had strong connection to upstream and requests for upstream changes went very smoothly

MoM Conclusions

- Time spent into mentoring is worth the effort
- No student for each month so the workload is bearable
- Students have just read recent documents which I did 15 years ago → I can learn new stuff from them
- Major advantage: training upstream to pool their knowledge about the code with ours about packaging is **very efficient** for the hard packages
- About 50% of students had strong connection to upstream and requests for upstream changes went very smoothly

MoM Conclusions

- Time spent into mentoring is worth the effort
- No student for each month so the workload is bearable
- Students have just read recent documents which I did 15 years ago → I can learn new stuff from them
- Major advantage: training upstream to pool their knowledge about the code with ours about packaging is **very efficient** for the hard packages
- About 50% of students had strong connection to upstream and requests for upstream changes went very smoothly

MoM Conclusions

- Time spent into mentoring is worth the effort
- No student for each month so the workload is bearable
- Students have just read recent documents which I did 15 years ago → I can learn new stuff from them
- Major advantage: training upstream to pool their knowledge about the code with ours about packaging is **very efficient** for the hard packages
- About 50% of students had strong connection to upstream and requests for upstream changes went very smoothly

MoM Conclusions

- Time spent into mentoring is worth the effort
- No student for each month so the workload is bearable
- Students have just read recent documents which I did 15 years ago → I can learn new stuff from them
- Major advantage: training upstream to pool their knowledge about the code with ours about packaging is **very efficient** for the hard packages
- About 50% of students had strong connection to upstream and requests for upstream changes went very smoothly

Sponsoring of Blends (SoB)

- Blends concept remains widely unknown amongst newcomers (but also amongst DDs)
- Newcomers might desperately seek for sponsors and simply do not know how to find one
- Kill two birds with one stone: Get the package sponsored after proving that you understood the Blends techniques

Sponsoring of Blends (SoB)

- Blends concept remains widely unknown amongst newcomers (but also amongst DDs)
- Newcomers might desperately seek for sponsors and simply do not know how to find one
- Kill two birds with one stone: Get the package sponsored after proving that you understood the Blends techniques

Sponsoring of Blends (SoB)

- Blends concept remains widely unknown amongst newcomers (but also amongst DDs)
- Newcomers might desperately seek for sponsors and simply do not know how to find one
- Kill two birds with one stone: Get the package sponsored after proving that you understood the Blends techniques

SoB rules

- 1 You confirm to have understood the Blends principle (have read the Blends documentation, are member of some team on alioth, reading the relevant mailing list)
- 2 Your package is maintained in a VCS used by the Blends team
- 3 Your package is listed on the Blends tasks pages (which is either because the package is inside Debian or in any Blends VCS)
- 4 You are unable to find a sponsor on the specific Blends list even after posting there at least twice

SoB rules

- 1 You confirm to have understood the Blends principle (have read the Blends documentation, are member of some team on alioth, reading the relevant mailing list)
- 2 Your package is maintained in a VCS used by the Blends team
- 3 Your package is listed on the Blends tasks pages (which is either because the package is inside Debian or in any Blends VCS)
- 4 You are unable to find a sponsor on the specific Blends list even after posting there at least twice

SoB rules

- 1 You confirm to have understood the Blends principle (have read the Blends documentation, are member of some team on alioth, reading the relevant mailing list)
- 2 Your package is maintained in a VCS used by the Blends team
- 3 Your package is listed on the Blends tasks pages (which is either because the package is inside Debian or in any Blends VCS)
- 4 You are unable to find a sponsor on the specific Blends list even after posting there at least twice

SoB rules

- 1 You confirm to have understood the Blends principle (have read the Blends documentation, are member of some team on alioth, reading the relevant mailing list)
- 2 Your package is maintained in a VCS used by the Blends team
- 3 Your package is listed on the Blends tasks pages (which is either because the package is inside Debian or in any Blends VCS)
- 4 You are unable to find a sponsor on the specific Blends list even after posting there at least twice

SoB results

- SoB is heavily used by Debian GIS team, partly used by Debian Science
- I get mail when Wiki page is changed and take mostly immediate action
- I'm lurking on relevant mailing lists as well on debian-mentors to catch maintainers in need of a sponsor
- If you notice a candidate for SoB please redirect them to me

SoB results

- SoB is heavily used by Debian GIS team, partly used by Debian Science
- I get mail when Wiki page is changed and take mostly immediate action
- I'm lurking on relevant mailing lists as well on debian-mentors to catch maintainers in need of a sponsor
- If you notice a candidate for SoB please redirect them to me

SoB results

- SoB is heavily used by Debian GIS team, partly used by Debian Science
- I get mail when Wiki page is changed and take mostly immediate action
- I'm lurking on relevant mailing lists as well on debian-mentors to catch maintainers in need of a sponsor
- If you notice a candidate for SoB please redirect them to me

SoB results


- SoB is heavily used by Debian GIS team, partly used by Debian Science
- I get mail when Wiki page is changed and take mostly immediate action
- I'm lurking on relevant mailing lists as well on debian-mentors to catch maintainers in need of a sponsor
- If you notice a candidate for SoB please redirect them to me

Face to face meetings with users and upstream developers


Have a quick look at what happened since 2011 when we started doing yearly sprints by also inviting users and upstream developers.

Thanks to Debian for supporting sprints which we have proven to be successful


Top 10 Uploaders of Debian Med team




Top 10 discussion on Debian Med user mailing list




Top 10 discussion Debian Med developer mailing list




Top 10 bug hunters of Debian Med packages



Top 10 committers to Debian Med VCS



Number of Packages in selected tasks



Inviting environment

In several talks at DebConf and in discussions before I have heard the argument that it is hard to find friends. But it is not. The answer is to create inviting teams.

*Waking up in the morning and realising
that somebody else has solved your
problem from yesterday*

Links

- *Debian Med policy*
- *Mentoring of the Month*
- *Sponsoring of Blends*

Links

- *Debian Med policy*
- *Mentoring of the Month*
- *Sponsoring of Blends*

Links

- *Debian Med policy*
- *Mentoring of the Month*
- *Sponsoring of Blends*

This talk is available at
<http://people.debian.org/~tille/talks/>
Andreas Tille <tille@debian.org>

